

## TGL Series Powerful Sound-proof Granulators

Double sound isolation for low noise level; optimal structure for easy operation; openable design for easy maintenance. Fully hermetic sound-proof design provides excellent working environment result in noise level below 75db under the condition which measures it within one meter away from the machines. In addition, powerful granulators are available for customers' selection



### Feature:

- ◆ Fully hermetic & silent design , the noise level is below 75db around 1 meter
- ◆ distance away from machines, also avoid dust contamination simultaneously .
  - The material storage tank is made of stainless steel for easy cleaning, stainless
- ◆ steel suction spout is also available for option.
  - Motor overload protection device, emergency safety switch device.
  - To be equipped with electrical phase controller , avoid any damage from motor
- ◆ reverse .
  - To install power isolator, easy maintenance & safety operation
  - This series can be used beside- the - press and collect all rejected parts to
- ◆ granulate together.
  - Unique design with inside heat dispersion system, expel heat generated from
- ◆ electrical cabinet to prolong parts' service life even under the fully hermetic
- ◆ Machine.
  - Movable stainless feeding hopper and handle switch with optimal design are
- ◆ operation conveniently.

We reserve right to change specifications without prior notice.



## Specification Sheet

Model	TGP-2320Q	TGP-4127Q	TGP-5232Q	TGP-6234Q	TGP-8148Q
Crushing Chamber(in)	9.1*7.9	16*11	20*12	24*13	32*19
Crushing Ability(lbs/h)	220-330	440-550	660-770	770-990	990-1320
Fixed Cutters	2	2	2	4	4
Rotary Cutters	6	12	15	18	24
Power(hp)	5	10	15	20	30
Dimensions	3.3*2.4*4.9	3.9*3.1*5.6	4.3*3.5*6.5	4.5*3.8*7	6.1*5.1*8.8
Weight(lbs)	1,100	1,760	2,420	2,970	4,950